

WATER CONSERVING AND CLEANING APPARATUS

Abstract of the Disclosure

The present water conserving and cleaning apparatus' major components include an essentially straight handle of several feet in length, with a hand grip in the vicinity of a distal end and a water flow control lever operably secured to a straight fixture removably secured to the hand grip. The handle is secured on the proximate end to a horizontal member in an inverted "T" configuration. A specific angle at which the handle is secured to the horizontal member is preferred for maximum comfort value for adults. The horizontal member includes a winged jet manifold fixably secured to the proximate end of the handle. The manifold includes a flow director which directs an air and water jet stream onto a surface to be cleaned. A rear wing, integral to the jet manifold, includes a two level cantilevered porch with specifically designed angles and heights to provide optimum air flow and a Venturi effect under the cleaning apparatus. A minimum of water is required when combined with an air stream to provide maximum pressure at a specific target angle to the surface to be cleaned. In addition, a cylindrical horizontal length of pipe is integrally manufactured into the manifold. Also, a plurality of spray nozzles are secured underneath the horizontal length of the cylinder at generally equally spaced intervals. Finally, on a rear side of the manifold is movably secured a plurality of wheels. Several embodiments

demonstrate design flexibility and adaptability to a variety of surface
cleaning uses.

09501155-071001

GLOSSARY

- 1 waterbroom (prior art)
- 2 pipe member (prior art)
- 3 handle (prior art)
- 5 4 nozzle (prior art)
- 5 spray pattern (prior art)
- 10 water conserving and cleaning apparatus
- 12 straight handle
- 14 hand grip
- 15 15 straight fixture
- 16 distal end
- 18 lever
- 20 one end
- 22 water hose
- 15 24 proximate end
- 26 jet manifold
- 28 center
- 30 cylinder
- 32 forward wing
- 20 34 rear wing
- 36 plurality of spray nozzles
- 36a slot

- 88 cone